#### Cyber tracker

Valentina Spanu



Bulachauri, October 2010



Faculty of Geo-Information Science and Earth Observation, University of Twente



## Introduction



### What is Cyber tracker?

It's a method of gps field data collection;

 It's possible to use it on a Smartphone or handheld computer to record any type of observation.



### How to use it?



#### http://www.cybertracker.co.za/

ne most efficien	t method of field dat	a collection - Wi	ndows Internet Ex	olorer		
//www.cybertracker	.co.za/					🖌 🛃 🗙 Cy
/licrosoft Exchange -	🔃 Tiscali Mail	CyberTrac	tker 3 Dem 🕂 Cyb	erTracker - Crea 🗰 smartphone - Diz	zion 🕂 CyberTracker - T.	× 🔄 🟠 • 🔊 •
	Cyber	Tracl	Ker Towa	rds a Worldwide Environr	mental Monitoring	Network
HOME	SOFTWARE	TRACKING	CONTACT US			₽ search
News	Introduction					
Videos	Feature List					A disc
Worldwide Net	New Features					
Indigenous Kno	Free Download					
Environment	Hardware					
Research	PC Requirements Handheld Devices		efficient method	f gps field data collection. You can	use CyberTracker on a	
Citizen Science	Rugged Computers SmartPhones			any type of observation. CyberTra		



To connect the IPaq to the computer it's necessary to install Active Sync.

A very useful link for CT tutorial is the following:

http://www.steventonconsulting.com/FlashDemo/CyberTracker3.ht ml

Here it's possible to have a demo guide and tutorial who leads the beginners to the first approach with the program.



### How does it work?

## Every time we want to create a new sequence we have to open a new database:

🛃 <not saved="" yet=""> - Cyber</not>	rTracker v3.206			
<u>File</u> <u>E</u> dit <u>V</u> iew <u>T</u> ools <u>H</u> elp				
New Database	Application 1 👻		Windows Mobile	: <b>-</b>
Ctrl+O	X	1		
Gen Sample Database	Delete Screen Application P	roperties	_	Layout Te
🚽 Save Database Ctrl+S		Propertie	es	
Save Database As				
Close	_			
崎 Import Data				
Export •				
🕼 Send 🔹 🕨				
Database Properties	-			
Exit				

#### Then we have to create a new screen:


🛃 <not saved="" yet=""> - Cybe</not>	erTracker v3.206				
<u>File E</u> dit <u>V</u> iew <u>T</u> ools <u>H</u> elp					
Applications 🔻	Application 1 👻	Windows Mobile +	■ Zoom 100% 👻		
New Screen Ney Subscreen	Delete Screen Application Pro	pperties Manage Applications Layout	Test Run Install Windows Mo	obile Install Palm	
Screen		Properties			
		New Screen			×
		Screen Templates Custom Templates			
		<ul> <li>Radio List - 2 columns</li> <li>Check List - 1 column</li> <li>Check List - 2 columns</li> <li>Number List - 1 column</li> <li>Number List - 2 columns</li> <li>Note</li> <li>Short Question Note</li> <li>GPS Timer Setup</li> <li>Camera (Windows Mobile S</li> <li>GPS Timer Setup</li> <li>Camera (Windows Mobile S</li> <li>Simple templates</li> <li>Title screen with text</li> <li>Radio list</li> <li>Check list</li> <li>Number</li> <li>Note</li> <li>Professional templates</li> <li>Blank with title and navigal</li> </ul>		No Preview	
					incel

## Every time we introduce a new question we ave to link it to its screen with "result element":

_					
÷.	PGIS	Georgia	- CvberTi	racker v	3.206

<u>File</u>	dit <u>V</u> iew <u>T</u> ools <u>H</u> elp							
🛛 Арр	lications 🔻	Applicat	ion 1 🔻	Windows Mobil	ile ▼ ■ Zo	oom 100	]% 🔻	
New S	Goreen New Subscreen	× Delete Screen	Application Pr	roperties Manage Applications	s Layout Test Ru	n Insta	all Windows Mobile Install Palm	
Screen	I			Element List		V .	<b>F</b>	
	PGIS Georgia						Frequency	:::::::
	General information			Properties			How many times in one year?: : : : :	
	People knowledge of the	hazards		Hide links		<u>^</u> ::		
	Frequency			Item height	25	_ ::		
	Event duration			Left	12	::	·   · · · · · · · · · · · · · · · · · ·	: : : : : : : :
	Spatial extent			List mode	Checkboxes	: : :	-   I ap to Edit	
	Speed of arrival			Minimum item height	16	: :	· <u> - · · · · · · · · · · · · · · · · · </u>	
	Structures Vulnerability			Minimum item width	32		Very high frequency:	
	Infrastructures vulnerability	ĥ		Minimum value	0	:::		
	People vulnerability			Maximum value	999999999	:::	High frequency	
	Elderly			Output checks			Moderate frequency	
	Families with children		-	Result Element	Frequency		Low:frequency	: : : : : : : :
	Handicapped		1	Result global value		: :		
	Seriously ill			Retain only scroll state			Very low frequency	
	Single mothers		3	Retain state			· · · · · · · · · · · · · · · · · · ·	
	Coping strategies		3	Retain state reset key				
	Official evacuation sites		3	Right to left			♥ः∠∆ःःःःःःःःःःःःःःःःः	
	Non official evacuation sit	es	8	Save result		- ::	· · · · · · · · · · · · · · · · · · ·	Γ
	Structure adaptation			Scroll width	9			
	Escape routes		8		-	_ ::		
	Perception		8	Show caption		::		
	End		1	Show lines				
				Show radio sound		::		

#### With "Test Run" it's possible to simulate the IPaq screen:



# In the last screen it's very important to include the arrow downwards to register everything

GIS_Georgia - CyberTracker v3.206			
<u>File E</u> dit <u>V</u> iew <u>T</u> ools <u>H</u> elp			
Applications - Application 1 -	Windows Mobile	ile 🕶 🛛 = Zoom	100% -
New Screen New Subscreen Delete Screen Application	Properties Manage Applications	s Layout Test Run	Install Windows Mobile Install Palm
Screen	Navigator	~	End
PGIS Georgia	Properties		
General information	Border color	Black 🛛	Remember to save everything with the
People knowledge of the hazards	Border line width		-: arrow!:::::::::::::::::::::::::::::::::::
Frequency		None	
Event duration	Border style		
Spatial extent	Border width	0	
Speed of arrival	Button border	None	:
Structures Vulnerability		1	:
Infrastructures vulnerability	Button border width	0	
People vulnerability	Button width	25	
Elderly	Color	White	
Families with children	Dock	Bottom	· · · · · · · · · · · · · · · · · · ·
Handicapped	Left	0	
Seriously ill	Height	24	
Single mothers	Show back	Image: A start of the start	
Coping strategies	Show GPS		
Official evacuation sites	Show home		
Non official evacuation sites	Show next		
Structure adaptation	Shew options		
Escape routes	Show save 1		
Perception	1		
🔲 End	Show save 2		
	Skip font	MS Sans Serif,10,	
	Take GPS reading		
	Take GPS skip timeout	0	· · · · · · · · · · · · · · · · · · ·

### Transfering the sequence to the IPaq

When we connect the IPaq to the computer we have to be sure that the time is the same in both of them.

#### Then we have to click in "Install Windows Mobile":

🛃 PGIS_Georgia - Cyber	Tracker v3.206			
<u>File E</u> dit <u>V</u> iew <u>T</u> ools <u>H</u> elp				
Applications	Application 1 •	Windows Mob	ile 🔹 🛛 🖉 Zoo	m 100% 🔻
New Screen New Subscreen	n Delete Screen Application	Properties Manage Application	s Layout Test Run	Install Windows Mobile Install Palm
Screen		Navigator		V End
🧾 PGIS Georgia		Properties		End End
General information		Border color	Black	Remember to save everything with the
People knowledge of the second sec	e hazards	Border line width		arrow!:::::::::::::::::::::::::::::::::::
Frequency		Border style	I None	
Event duration		Border width	None 0	
Spatial extent		Button border	u None	
Speed of arrival				
Structures Vulnerability	Th	Button border line width		
Infrastructures vulnerability	lity	Button border width	0	
People vulnerability		Button width	25	
Elderly Families with children		Color	White	the second se
Handicapped		Dock	Bottom	1742
Seriously ill		Left	0	
Single mothers		Height	24	
Coping strategies		Show back		
Official evacuation sites		Show GPS		
		Show home		

When we will import back all the collected information, it will be possible visualize the sequence clicking on:

#### Applications > Reports

<u>-</u>	PG	IS_Georgia	- CyberT	racker v3.206								
Eile	e E	dit <u>View</u> Too	ls <u>H</u> elp									
	App	lications 🔻		Application	tion 1 🔻		Windows Mobi	le 🔻	Zoor	m 10	0% 🔻	
,	V A	eports pplications ements	ubscreen	× Delete Screen	Application Pr	operties	Manage Applications	s Layout	Test Run	Inst	all Windows Mobile	Install Pa
5						Naviga	tor			<b>~</b>		End
		PGIS Georgia	1 <sup>1</sup>			Properti	es					
		General inform People knowle		bazarda			ock Properties	Show back; S	how GPS; S		Remember to s	ave evel
		Frequency	uye or me	nazarus		Bo	Border color Black				arrow!:::::	
		Event duration	1			Border line width 1			:			
		Spatial extent	-			Border style None						
		Speed of arriva	al			Bo	Border width 0			:		
		Structures Vulr	nerability			Bu	Button border None					
		Infrastructures	vulnerabilit	У		Bu	Button border line width 1			:		Bar ster
		People vulnera	ability			Bu	Button border width 0			:	- Atom	
		Elderly				Bu	utton width	25				-
		Families with c	hildren		3	Co	plor	White		:	1 ava i	
	E	Handicapped	Handicapped		D	ock	Bottom		1		and the second second	
		Seriously ill	iously ill		Le	Left 0			:		· · · · · · · ·	
		Single mothers				H	eight	24		_ :		
(		Coping strategi				Sł	now back		]	Ξ	••••••••••••••••••••••••••••••••••••••	· · · · · · · ·
		Official evacua				Sł	now GPS		]	÷	<u>, 77 / / / / / / / / / / / / / / / / / /</u>	
		Non official evacuation sites										

🛃 PGIS_Georgia - Cyb	erTracker v3.206												
<u>File E</u> dit <u>V</u> iew <u>T</u> ools <u>H</u> el	p												
Reports	Report 1	•			casa	de basil	•			Que	ry Edit	or 🔻	·
New Query Delete Query	X Delete Sighting(s)		N Photo	New 1		lete View	View Pr	operti	ies Ex	(port	View	Man	age F
🛃 Query Editor													
casa de basil													
Longitude	6,90085333333333	^	AL 1776										
Altitude	49.9	_	No Filte	ſ									
Accuracy	2.5		Date	~	Time 💌	Elderly 😒	Elderly	~	Elderly	~	Elderly	~	Elde
General information	tblisi;		≥ 29/09	1/2010	16.52.04								
	29/09/2010; nino;28;christian;f		28/09	/2010	12.19.43	Farmer ;*	Farmer	;Vei	Farmer	;Vei	Farmer	;Vei	Farm
	nino,20,61instan,i		29/09	1/2010	11.12.22	Farmer ;1	Farmer	;Vei	Farmer	;Vei	Farmer	;Vei	Farm
Frequency	3times		29/09	3/2010	11.28.42	Farmer ;1	Farmer	;Vei	Farmer	;Vei	Farmer	;Vei	Farm
High frequency	Sumes		29/09	8/2010	11.54.51	Farmer ;*	Farmer	;Vei	Farmer	;Vei	Farmer	;Vei	Farm
Event duration	5days		29/09	3/2010	12.48.00	Farmer ;1	Farmer	;Vei	Farmer	;Vei	Farmer	;Vei	Farm
Spatial extent	5km		29/09	3/2010	14.43.51	Farmer ;1	Farmer	;Vei	Farmer	;Vei	Farmer	;Vei	Farm
Speed of arrival	1km/d	- 2	23/09	1/2010	16.23.40	Self-emple	Self-em	ploye	Self-em	ploye	Self-em	ploye	Self-
Structures vulnerabili		- 8											
Vulnerable	school	- 8											
	L.J.	- 8											
Infrastrucures vulner- Vulnerable	bridge	- 8											
Farmer		-											
Very vuln.													
Self-employed													
Vuln.													
Formal empl.													
Mod.vuln.													
Informal empl.													
Slig.vuln.													
Official empl.													
Not vuln.													
Family/clan													
V.high pr.													
Official evacuation si	hospital	~											

# The collected information



What we have just created is an MDB file (**M**icrosoft **D**ata **B**ase), that is an access file that memorizes six kind of objects:tables, query, cards, reports, macro and modules. All this in just one *MDB file*.



PGIS\_Georgia.MDB Microsoft Office Access Applic... 5.544 KB





### And now let's try!





## Thank you!

spanu23779@itc.nl

